

# TOSHIBA

**e-STUDIO2525AC**

**e-STUDIO3025AC**

**e-STUDIO3525AC**

**e-STUDIO4525AC**

**e-STUDIO5525AC**

**e-STUDIO6525AC**

## Colour Multifunctional Printers

- Multifunctional A3 colour systems with outstanding document output at a speed of up to 65 pages per minute
- Large and fully customisable user interface for enhanced efficiency and tailored workflows
- Easy integration into any environment, including cloud and mobile printing for full flexibility



## Cloud-ready and Secure

Today's new hybrid work environment has permanently changed demands on access to information: it must be available anywhere and at anytime. Only then can an organisation maintain maximum efficiency and productivity. Yet information also needs to be secure.

Toshiba's cloud-ready products, combined with the support from our team of experts, provide the solutions you need to improve workflow and print with functionalities that are smarter and more convenient than ever before. We have implemented new features to increase productivity in line with the needs of hybrid workplaces. The e-STUDIO06525Ac series is equipped with functionalities that enable non-contact, non-face-to-face, and remote work.

Based on the latest technological advances and security standards, we deliver end-to-end tailored solutions to help you seamlessly and securely navigate today's digital workplace. In addition, our multifunctional print (MFP) systems meet the highest environmental requirements. From consulting, cloud migration and fleet management, to implementation and technical support, Toshiba is at your side.


Show your true colours: sharp, vibrant images in all hues can make your documents more beautiful and engaging. Toshiba's e-STUDIO06525Ac series delivers image quality that stands out. In addition, the multifunctional systems are equipped with advanced features that meet the most exacting needs of today's and tomorrow's workplaces.

- Advanced Toshiba e-BRIDGE Next technology for easy customisation of document workflows and integration into any environment
- High-quality output with a resolution of up to 1,200 x 1,200 dpi
- Colour consistency across small and large print jobs



## Smart and Smooth

The systems feature an intuitive 10.1 inch (26 cm) tablet-style touch screen with an embedded web browser. It is easy to use and is fully customisable, allowing you to conveniently tailor settings, automate workflows and integrate third-party solutions. In line with the bold look and feel of this e-STUDIO series, the user interface enables simple operation and improved efficiency.



# Efficiency Your Way

Workgroups within small and medium-sized enterprises (SMEs) benefit from the easy integration of the e-STUDIO06525Ac series into existing IT infrastructures and workflows. The systems are fully customisable and offer readily accessible solutions thanks to open platform architecture.

All Toshiba e-BRIDGE Next systems are capable of cloud and mobile printing. AirPrint and Mopria Print Services support the printing needs of mobile device users, while Wi-Fi Direct and the support for two separate networks, simplifies access to the MFPs. Toshiba's exclusive e-BRIDGE Print & Capture application enables additional printing features, and gives users the ability to scan documents back to their tablets or smartphones.

The e-STUDIO06525Ac series can be equipped with apps to further enhance efficiency. When the apps are combined with our embedded optical character recognition (OCR) feature, documents can be scanned as Microsoft Word and other popular office formats.

## Cloud solution apps

- e-BRIDGE Plus for Box
- e-BRIDGE Plus for Dropbox™
- e-BRIDGE Plus for Google Drive™
- e-BRIDGE Plus for Google Workspace™ Google Drive™
- e-BRIDGE Plus for Gmail™
- e-BRIDGE Plus for OneDrive®
- e-BRIDGE Plus for OneDrive® for Business
- e-BRIDGE Plus for SharePoint® Online
- e-BRIDGE Plus for Exchange Online
- e-BRIDGE Plus for Universal Print

## Workflow solution apps

- e-BRIDGE Plus for Barcode Scan
- e-BRIDGE Plus for USB Storage
- e-BRIDGE Plus for Green Information
- e-BRIDGE Plus for Zone OCR
- e-BRIDGE Plus for ID Card
- e-BRIDGE Plus for Voice Guidance

## Your partner in sustainability

Sustainability is a major topic for Toshiba and our customers. We make every effort to minimise the impact of our business on the environment, to conserve and protect the world's natural resources. This applies to every business process and product, including providing solutions that make our customers' operations more sustainable. Accordingly, the MFPs in the e-STUDIO06525Ac series have also been equipped with a number of environmentally friendly features:

- Low-power, super sleep mode to reduce energy consumption and lower cost
- Compliance with the latest, most stringent environmental requirements
- Use of recycled plastics
- The e-BRIDGE Plus for Green Information app, which displays environmental achievements directly on the MFP, encourages the use of eco-friendly settings

## Security meets convenience

As a leading provider of information technology, Toshiba has always placed top priority on protecting data. The e-STUDIO06525Ac series come with robust security features, such as anti-malware function, secure Solid State Drive (SSD) and Trusted Platform Module (TPM) with encryption function. Optionally, you can choose the FIPS HDD\* with data overwrite function and HCD-PP\*\* certification. The systems are fully compliant with the EU General Data Protection Regulation (GDPR). Deploy all the security technologies offered to ensure your data is protected when using the MFP.

\* Federal Information Processing Standards Hard Disc Drive

\*\* Hard Copy Device – Protection Profile certification





## Enhanced Performance and Functionality

Toshiba's e-STUDIO6525Ac series offers a wide spectrum of functionalities. The multifunctional units enable you to integrate and simplify your workflows while improving efficiency.

**Auto calibration** ensures perfect image quality with consistent colours and crystal-clear lines from the first to the last page.

**Image recovery menu** helps by providing easy guidance (including a movie) for users, within minutes.

**RGB colour substitution** gives you accurate colours with office applications so your documents are printed exactly the way you want.

**Multi Station Print solution** allows you to send print jobs from your desktop and retrieve them at up to 50 different MFPs by authenticating at a device of choice, e.g. by simply swiping your badge.

**Interrupt print** is one of the new convenient functions to make your day-to-day tasks more efficient. Jump the queue for first priority prints.

**Embedded Optical Character Recognition (OCR)** simplifies the creation of searchable PDFs and editable document formats such as Microsoft Word.

**Scan to USB** is great for working with documents on the go. You can even create PDF/A-2 files suitable for long-term archiving.

**Scan and fax preview** allows you to review, rotate and modify your scanned documents or incoming faxes before saving or printing them.

**Barcode printing** lets you send print data from your ERP system directly to the MFP. The barcode sequence is automatically processed and printed with no need for additional middleware.


**Print from USB** for quick and easy printouts. If required, the MFP will automatically scale your documents to fit the available paper size.

**E-mail direct printing** can automatically print the attached documents on e-mails that are sent to the MFP.

**Remote assistance and diagnostics** fit seamlessly into today's working styles and help keep your business running when technical difficulties or uncertainties occur.



# Configuration



\* Fore-STUDIO2525AC/3025AC/3525AC/4525AC

\*\* Not in combination with External LCF

## Highlights

### Mobile printing

Easily connect to these systems with your mobile devices via AirPrint, or the Mopria Print Service. Plus, you can unlock additional mobile print and scan features by adding the optional Wi-Fi module.

### Choose your user experience

The large and fully customisable user interface makes the MFP intuitive to use. Simply swipe through the menu and select the feature or function you need and modify the screen to suit your individual preferences.

### Dual Scan Document Feeder (DSDF) and Double Feed Detection

The DSDF option can hold up to 300 original documents and processes 240 images per minute (ipm) by scanning both sides of the page in a single pass. With the addition of Double Feed Detection, you can ensure that no pages are missing after scanning.

# Specifications

## General

<b>Print &amp; Copy Speed</b>	A4: 25/30/35/45/55/65 ppm A3: 15/16/18/22/27/30 ppm
<b>Warm-up Time</b>	~ 12 seconds from low power mode <sup>(1)</sup> ~ 20 seconds from low power mode <sup>(2)</sup>
<b>Paper Size &amp; Weight</b>	Cassette 1: A5R-A3, 60-300 gsm Cassete 2: A5R-320 x 460 mm, 60-300 gsm Bypass: 100 x 148 mm-320 x 460 mm, 52-300 gsm, banner paper (up to 305 x 1,200 mm, 90-163 gsm)
<b>Paper Capacity</b>	Cassettes: 2x 550 sheets Bypass: 1x 100 sheets Max. 5,200 sheets
<b>Inner Output Tray</b>	400-sheet capacity
<b>Automatic Duplex</b>	A5R-305 x 457 mm, 60-256 gsm
<b>Controller Type</b>	Toshiba e-BRIDGE Next
<b>Control Panel</b>	10.1 inches (26 cm) Multi-Touch Colour Panel
<b>Storage &amp; Memory</b>	Security SSD 128 GB <sup>(3)</sup> ; 4 GB RAM <sup>(1)</sup> Security SSD 128 GB <sup>(3)</sup> ; 6 GB RAM <sup>(2)</sup>
<b>Interface</b>	10Base-T/100Base-TX/1000Base-T, High Speed USB 2.0, WLAN* (IEEE802.11b/g/n), Bluetooth*, Wi-Fi Direct*
<b>Dimension &amp; Weight</b>	For e-STUDIO2525AC/3025AC/3525AC: 585 x 641 x 787 mm (W x D x H), ~77 kg For e-STUDIO4525AC: 585 x 641 x 787 mm (W x D x H), ~78 kg For e-STUDIO5525AC/6525AC: 585 x 641 x 787 mm (W x D x H), ~79 kg
<b>Initial Consumables</b>	Toner Drums Developers Waste Toner Box

## Print

<b>Resolution</b>	600 x 600 dpi, 5 bit, 1,200 x 1,200 dpi, 2 bit (equiv. 3,600 x 1,200 dpi) with PostScript driver only
<b>Page Description Language</b>	PCL5e, PCL5c, PCL6 (PCL XL), XPS, PDF and PS3, JPEG
<b>Supported Systems</b>	Windows 11/10/8.1, Windows Server 2022/2019/2016/2012 R2/2012 (64 bit), Mac OS 10.12-12, Linux/Unix, Citrix, SAP, AS/400
<b>Network Protocols</b>	TCP/IP (IPv4/IPv6), NetBios over TCP/IP
<b>Colour Modes</b>	Auto-Colour (ACS), Colour, TWIN Colour, Monochrome
<b>Colour Settings</b>	ICC profile colour management, RGB substitution, Brightness, Saturation, Contrast, Colour Balance
<b>Mobile Printing</b>	e-BRIDGE Print & Capture, Mopria® Print Service, AirPrint on iOS or macOS®
<b>Print Functions</b>	Universal Printer Driver, Driver Templates, Driver plug-ins*, Print from USB, Hold Print, Tandem Printing, E-Mail direct printing

## Scan

<b>Resolution</b>	Max. 600 x 600 dpi
<b>Scan Speed</b>	Reversing Automatic Document Feeder*: up to 73 ppm (300 dpi) in colour and monochrome Dual Scan Document Feeder*: up to 240ppm (300dpi) in colour and monochrome
<b>Scan Modes</b>	Auto-Colour (ACS), Colour, Greyscale, Monochrome
<b>File Formats</b>	JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PDF, PDF/A, PDF/A-2, Searchable PDF (and other formats like DOCX, XLSX)
<b>Scan Functions</b>	WS Scan, Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP, FTPS, Local), Meta Scan*, OCR scan, Scan to Box (e-Filing), WIA, TWAIN

## Copy

<b>Resolution</b>	Scan: 600 x 600 dpi Print: 600 x 600 dpi, 5 bit, equiv. 2,400 x 600 dpi with smoothing (monochrome only)
<b>First Copy Output Time</b>	Colour: ~ 7.8/7.8/7.8/5.7/5.6/5.6 seconds Monochrome: ~ 5.9/5.9/5.9/4.4/4.3/4.3 seconds
<b>Zoom</b>	Platen*: 25-400%, RADF*/DSDF*: 25-200 %
<b>Copy Modes</b>	Text, Tex/Photo, Photo, Printed Image, Map, Image Smoothing
<b>Colour Modes</b>	Auto-Colour (ACS), Full Colour, Twin Colour, Mono Colour, Monochrome
<b>Colour Settings</b>	Hue, Saturation, Colour Balance, RGB adjustment, 5 one-touch modes
<b>Copy Functions</b>	Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1 / 4-in-1 mode

## Fax\*

<b>Communication</b>	Super G3, G3 - (opt. 2 <sup>nd</sup> line) Internet Fax T.37
<b>Transmission Speed</b>	~ 3 seconds per page
<b>Compression</b>	JBIG, MMR, MR, MH
<b>Fax Memory</b>	1 GB Transmission/Reception
<b>Network-Fax</b>	Driver for Windows 11/10/8.1, Windows Server 2022/2019/2016/Server 2012 R2/Server 2012 (64bit)
<b>Incoming Fax Routing</b>	To shared folders (SMB, FTP), E-Mail, e-Filing

## System & Security

<b>Device Management</b>	Top Access for remote administration and configuration
<b>System Features</b>	e-Filing document server for secure storage, Document distribution and Print-on-Demand (on public box, 200 user boxes), over 1.2 million one-touch templates for storage of personalised settings and workflows, Scan/Fax Preview, Rip-while-Print, e-BRIDGE Open Platform, Embedded Web Browser, Job Skip, PCL Barcode printing, e-BRIDGE Plus embedded apps
<b>Accounting &amp; Security</b>	Role Based Access, LDAP support, 1,000 department & 10,000 user codes, Card Reader*, Private Print, Standard data encryption with Security SSD, Data Overwrite function when optional HDD is chosen, IP and MAC address filter, Port Filter, Support of SSL and IPsec* protocols, IEEE802.1x support, CC certified (ISO/IEC15408) with HCD-PP v1.0*, Scan to Secure PDF, Pull-printing*

# Options

<b>REVERSING AUTOMATIC DOCUMENT FEEDER</b>	100-sheet capacity, A5R-A3, 35-157 gsm
<b>DUAL SCAN DOCUMENT FEEDER</b>	300-sheet capacity, A5R-A3, 35-209 gsm
<b>DUAL SCAN DOCUMENT FEEDER WITH DOUBLE FEED DETECTION</b>	300-sheet capacity, A5R-A3, 35-209 gsm
<b>PAPER FEED PEDESTAL</b>	550-sheet capacity (1 Cassette) A5R-320 x 460 mm, 60-300 gsm
<b>DRAWER MODULE</b>	For Paper Feed Pedestal 550-sheet capacity (1 Cassette) A5R-320 x 460 mm, 60-300 gsm
<b>ENVELOPE DRAWER</b>	For Paper Feed Pedestal or 2 <sup>nd</sup> Cassette Envelopes: 50-envelope capacity (1 Cassette) 100 x 162mm - 240 x 380 mm, 60-85 gsm Paper: 550-sheet capacity, A5R-A4R, 60-300 gsm
<b>LARGE CAPACITY FEEDER</b>	2,000 sheets, A4, 60-300 gsm
<b>EXTERNAL LARGE CAPACITY FEEDER</b>	2,000 sheets, A4, 60-300 gsm
<b>INNER FINISHER</b>	2 trays, 600-sheet capacity 50-sheet multi-position stapling A4R-A3, 60-105 gsm (stapling mode)
<b>MULTI-STAPLE FINISHER</b>	2 trays, 2,250-sheet capacity 65-sheet multi-position stapling A4R-A3, 60-105 gsm (stapling mode)
<b>SADDLE STITCH FINISHER</b>	2 trays, 3,250-sheet capacity Saddle-stitched booklets of up to 60 pages 65-sheet multi-position stapling A4R-A3, 60-105 gsm (stapling mode)
<b>HOLE PUNCH UNIT</b>	Available in 2 holes (E), 4 holes (F)

<b>PLATEN COVER</b>
<b>DESK</b>
<b>HARD DISK DRIVE 320 GB<sup>(3)</sup> (FIPS 140-2 STANDARD)</b>
<b>SECURITY SOLID STATE DRIVE 512 GB<sup>(3)</sup></b>
<b>JOB SEPARATOR</b>
<b>WORK TRAY</b>
<b>FAX BOARD</b>
<b>USB HUB</b>
<b>ACCESSORY TRAY</b>
<b>PANEL TEN-KEY</b>
<b>WIRELESS LAN/BLUETOOTH MODULE (incl. Wi-Fi Direct)</b>
<b>e-BRIDGE ID-GATE</b>
<b>ACCESSIBLE ARM</b>
<b>2ND NIC HOLDER</b>

<b>IPsec ENABLER (LICENCE)</b>
<b>MULTI STATION PRINT ENABLER (LICENCE)</b>
<b>META SCAN ENABLER (LICENCE)</b>
<b>UNICODE FONT ENABLER (LICENCE)</b>
<b>HARD COPY SECURITY KIT (LICENCE)</b>



<sup>(1)</sup> For e-STUDIO2525AC/3025AC/3525AC/4525AC

<sup>(2)</sup> For e-STUDIO5525AC/6525AC

<sup>(3)</sup> 1 GB = 1 billion bytes; the actual formatted capacity is less. Available capacity will also be less if software applications are pre-installed.

\* Optional

**About Toshiba Tec UK**

Toshiba Tec UK Imaging Systems Ltd is part of the globally operating Toshiba Tec Corporation, active in various high-tech industrial sectors.

Toshiba Tec Corporation is a leading provider of information technology, operating across multiple industries. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

**Toshiba Tec UK Imaging Systems Ltd.**

Abbey Cloisters, Abbey Green, Chertsey, Surrey KT16 8RB

**Telephone**

+44 (0)843 2244944

**Email**

info@toshibatec.co.uk

**Website**

www.toshibatec.co.uk

**Speak to us**

**T:** 0800 046 1332

**E:** [info@insightsystems.co.uk](mailto:info@insightsystems.co.uk)

**W:** [www.insightsystems.co.uk](http://www.insightsystems.co.uk)