



Document Manager

- Monochrome A3 MFP with colour scan
- Intuitive user interface for fast and easy access to all features
- Professional high-quality document output
- Equipped with the Toshiba Secure HDD for enhanced data security
- Optimised power consumption for maximum eco-efficiency



e-STUDIO257
e-STUDIO307
e-STUDIO357
e-STUDIO457
e-STUDIO507



SAP® Printer Vendor Solution



INSIGHT

Insight Systems Ltd
w: www.insightsystems.co.uk
e: sales@insightsystems.co.uk
t: 01732 880600

Networking Documents.

TOSHIBA
Leading Innovation >>>

A document manager you can rely on

The e-STUDIO507 series has been designed for businesses which require uncompromising efficiency and high-quality document output. Featuring the latest technology the systems are ready to meet the needs of modern office environments.

Full functionality

All five multifunctional monochrome systems in the e-STUDIO507 series offer the same comprehensive functionality. Differing mainly only in their productivity with printing speeds ranging from 25 to 50 pages per minute,

they deliver intriguing document output quality when printing, scanning in colour, copying or faxing.

With a maximum paper capacity of 3,200 sheets the e-STUDIO507 series is capable of handling many different paper formats and weights. And a large range of finishing options allows you to create professional document.

Ease-of-use begins when sending your print job to the system. The Universal Printer Driver, with which almost all Toshiba e-STUDIO models can be operated, can store your personal printing preferences and complex settings as one-touch templates for easy printing of documents with complex settings.

Perfect security

Protecting confidential data is a must in today's business world. The e-STUDIO507 series features the exceptional Toshiba Secure HDD, which ensures your data is safe. Furthermore, there are plenty of additional network, device and document security settings available, which make sure that what's yours, stays yours.

Advanced usability

The e-STUDIO507 series are based on sophisticated Toshiba technology. Comprehensive as their functionality may be, all systems are easy to use. An intuitive colour LCD display lets you access functions with just one click.



Intuitive user interface for easy access to all functions



Customised solutions

The e-STUDIO507 series offers more than just exquisite document output. All systems support complex workflow tools and help you streamline your processes.

Toshiba offers a large range of solutions you can choose from to optimise the performance according to your needs. Whether you are looking for a sophisticated OCR software to convert hard copies into editable file formats, want to

make your system available for mobile printing or need a comprehensive fleet management tool, you will find a solution which easily integrated into your existing network and workflows.



Protecting the environment

Like all Toshiba products the five models in the e-STUDIO507 series were created to comply with leading environmental standards. Starting with resourceful usage of material during production, to carbon offsetting during usage and hassle-free recycling of the devices the systems help protect the environment and create a greener tomorrow. Built in standard features such as energy save modes or duplex printing not only help save natural resources, but directly convert into saving money.

For advanced energy saving we recommend the Toshiba's Energy Manager for office. This optional software optimises the energy consumption – not only of your e-STUDIO systems, but of also all PCs within your network.





General	Print & Copy Speed Warm-up Time Paper Size & Weight Paper Capacity Automatic Duplex Controller Type Control Panel Memory Interface Dimensions & Weight	25/30 ppm (A4), 16/16 ppm (A3) Approx. 20 seconds Cassettes: A5R-A3, 64-105 gsm Large Capacity Feeder ¹⁾ : A4, 64-105 gsm Bypass: A5R-A3, 52-209 gsm 2 x 550 sheets (Cassettes), 100 sheets (Bypass) Maximum: 3,200 sheets A5R-A3, 64-105 gsm Toshiba e-BRIDGE 9" (22.8 cm) colour touch panel LCD Toshiba Secure HDD 320 GB ²⁾ / 2 GB RAM 10/100/1000 BaseT (incl. IPv6), High Speed USB 2.0, WLAN ¹⁾ (IEEE802.11b/g/n) 575 x 586 x 756 mm (W x D x H), ~ 55 kg
Print	Resolution Page Description Languages Supported Systems Print Functions	600 x 600 dpi 2,400 x 600 dpi with smoothing XPS, PCL6 and PostScript 3 compatible Windows 8/7/Vista/Server 2008/Server 2003 (32/64 bit), Windows Server 2012 R2/Server 2008 R2 (64 bit), Mac OS 10.4.11 - 10.9, Linux/UNIX, Novell Netware (NDPS), Citrix, SAP, AS/400 Universal Driver, Driver templates, Driver plug-ins ¹⁾ , Hold print, Print from USB, Tandem printing, AirPrint
Scan	Resolution Scan Speed Scan Modes File Formats Scan Functions	Max. 600 x 600 dpi, 8 bit per colour channel Monochrome/Colour: 57/43 ipm (300 dpi) Auto-Colour (ACS), Colour, Greyscale, Monochrome JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PDF, Searchable PDF ¹⁾ (and other formats like DOCX, XLSX, RTF, TXT, PDF/A) ¹⁾ Web Scan (pull/push), Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP, FTPS, IPX/SPX, local), Meta Scan ¹⁾ , Scan to Box (e-Filing), WIA, TWAIN
Copy	Resolution First Copy Output Time Zoom Copy Modes	Scan: 600 x 600 dpi Print: 2,400 x 600 dpi with smoothing Approx. 4.7 seconds 25-400% (platen), 25-200% (RADF) ¹⁾ Text, Text/Photo, Photo, Colour Document, Custom
Fax¹⁾	Communication Transmission Speed Compression Fax Memory Network-Fax Incoming Fax Routing	Super G3, G3 - (opt. 2 nd line), Internet Fax T.37 Approx. 3 seconds per page JBIG, MMR, MR, MH 1 GB (HDD) Transmission/Reception Driver for Windows 8/7/Vista (32/64 bit), Windows Server 2012 R2/Server 2008 R2 (64 bit) To shared folder (SMB, FTP, IPX/SPX), E-mail, e-Filing
System & Security	Device Management System Features Accounting & Security	e-BRIDGE Fleet Management System ¹⁾ , TopAccess for remote administration and configuration e-Filing document server for secure storage, document distribution and Print-on-Demand (1 public box, 200 user boxes), 12,060 One-touch Templates for storage of personalised settings or workflows, Scan/Fax preview, e-BRIDGE Open Platform ¹⁾ , Embedded Web Browser, Job Skip Role Based Access, LDAP support, 1,000 department codes & 10,000 user codes, card reader ¹⁾ , private print, standard data encryption with Toshiba Secure HDD, Data Overwrite Enabler ¹⁾ , IP and MAC address filter, port filter, support of SSL and IPSec ¹⁾ protocols, IEEE802.1x support, IEEE2600.1 compliant ¹⁾ , Scan to Secure PDF

¹⁾ Optional

²⁾ 1GB = 1 billion bytes; the actual formatted capacity is less.

Available capacity will also be less if software applications are pre-installed.

Productivity and paper specifications are related to a paper size of A4 and a paper weight of 80 gsm if not otherwise mentioned.

OPTIONS

RADF – MR-3028

100-sheet capacity, A5R-A3, 35-157 gsm

JOB SEPARATOR TRAY – MJ-5004

2 inner trays, 150- and 250-sheet capacity

OFFSET TRAY – MJ-5005

250-sheet capacity

INNER FINISHER – MJ-1032N

2 trays, 600-sheet capacity
 50-sheet multi-position stapling
 482 x 508 x 232 mm (W x D x H), ~ 13 kg

SADDLE-STITCH FINISHER – MJ-1033

1 tray, 1,000-sheet capacity
 50-sheet multi-position stapling
 Saddle-stitched booklets of up to 60 pages
 409 x 624 x 961 mm (W x D x H), ~ 39 kg

HOLE PUNCH UNIT – MJ-6007/MJ-6008

Options for Finisher MJ-1032N/MJ-1033
 Available in 2-holes (E), 4-holes (F)
 120 x 245 x 597 mm (W x D x H), ~ 3.3 kg
 126 x 463 x 174 mm (W x D x H), ~ 3.4 kg

PAPER FEED PEDESTAL – KD-1025

550-sheet (1 drawer), A5R-A3, 64-105 gsm
 668 x 701 x 291.5 mm (W x D x H), ~ 21 kg

LARGE CAPACITY FEEDER – KD-1026A4

2,000-sheet capacity, A4, 64-105 gsm
 668 x 737 x 292 mm (W x D x H), ~ 26 kg

OTHER OPTIONS

DESK – MH-2520
 DRAWER MODULE – MY-1033
 HDD 320 GB²⁾ (FIPS 140-2 STD) – GE-1230
 FAX BOARD – GD-1350EU
 WIRELESS LAN MODULE – GN-1060
 e-BRIDGE ID-GATE – TWN3/4XX
 DATA OVERWRITE ENabler – GP-1070
 IPsec ENabler – GP-1080
 META SCAN ENabler – GS-1010
 UNICODE FONT ENabler – GS-1007
 e-BRIDGE RE-RITE – GB-1280
 ACCESSIBLE ARM – KK-2550

**e-STUDIO357****e-STUDIO457 e-STUDIO507**

General	<p>Print & Copy Speed 35/45/50 ppm (A4), 25/25/25 ppm (A3) Warm-up Time Approx. 20 seconds Paper Size & Weight Cassettes: A5R-A3, 64-105 gsm Large Capacity Feeder¹⁾: A4, 64-105 gsm Bypass: A5R-A3, 52-209 gsm 2 x 550 sheets (Cassettes), 100 sheets (Bypass) Maximum: 3,200 sheets A5R-A3, 64-105 gsm 250-sheet capacity with offset function Paper Capacity Toshiba e-BRIDGE Automatic Duplex 9" (22.8 cm) colour touch panel LCD Inner Output Tray Toshiba Secure HDD 320 GB²⁾ / 2 GB RAM Controller Type 10/100/1000 BaseT (incl. IPv6), High Speed Control Panel USB 2.0, WLAN¹⁾ (IEEE802.11b/g/n) Memory 575 x 586 x 756 mm (W x D x H), ~ 58 kg Interface</p>
Print	<p>Resolution 600 x 600 dpi 2,400 x 600 dpi with smoothing Page Description Languages Supported Systems XPS, PCL6 and PostScript 3 compatible Windows 8/7/Vista/Server 2008/Server 2003 (32/64 bit), Windows Server 2012 R2/Server 2008 R2 (64 bit), Mac OS 10.4.11 - 10.9, Linux/UNIX, Novell Netware (NDPS), Citrix, SAP, AS/400 Print Functions Universal Driver, Driver templates, Driver plug-ins¹⁾, Hold print, Print from USB, Tandem printing, AirPrint</p>
Scan	<p>Resolution Max. 600 x 600 dpi, 8 bit per colour channel Scan Speed Monochrome/Colour: 57/43 ipm (300 dpi) Scan Modes Auto-Colour (ACS), Colour, Greyscale, Monochrome File Formats JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PDF, Searchable PDF¹⁾ (and other formats like DOCX, XLSX, RTF, TXT, PDF/A)¹⁾ Scan Functions Web Scan (pull/push), Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP, FTPS, IPX/SPX, local), Meta Scan¹⁾, Scan to Box (e-Filing), WIA, TWAIN</p>
Copy	<p>Resolution Scan: 600 x 600 dpi Print: 2,400 x 600 dpi with smoothing First Copy Output Time Approx. 3.7 seconds Zoom 25-400% (platen), 25-200% (RADF)¹⁾ Copy Modes Text, Text/Photo, Photo, Colour Document, Custom</p>
Fax¹⁾	<p>Communication Super G3, G3 - (opt. 2nd line), Internet Fax T.37 Transmission Speed Approx. 3 seconds per page Compression JBIG, MMR, MR, MH Fax Memory 1 GB (HDD) Transmission/Reception Network-Fax Driver for Windows 8/7/Vista (32/64 bit), Windows Server 2012 R2/Server 2008 R2 (64 bit) Incoming Fax Routing To shared folders (SMB, FTP, IPX/SPX), E-mail, e-Filing</p>
System & Security	<p>Device Management e-BRIDGE Fleet Management System¹⁾, TopAccess for remote administration and configuration System Features e-Filing document server for secure storage, document distribution and Print-on-Demand (1 public box, 200 user boxes), 12,060 One-touch Templates for storage of personalised settings or workflows, Scan/Fax preview, e-BRIDGE Open Platform¹⁾, Embedded Web Browser, Job Skip Role Based Access, LDAP support, 1,000 department codes & 10,000 user codes, card reader¹⁾, private print, standard data encryption with Toshiba Secure HDD, Data Overwrite Enabler¹⁾, IP and MAC address filter, port filter, support of SSL and IPSec¹⁾ protocols, IEEE802.1x support, IEEE2600.1 compliant¹⁾, Scan to Secure PDF Accounting & Security</p> <p>¹⁾ Optional ²⁾ 1GB = 1 billion bytes; the actual formatted capacity is less. Available capacity will also be less if software applications are pre-installed.</p> <p>Productivity and paper specifications are related to a paper size of A4 and a paper weight of 80 gsm if not otherwise mentioned.</p>

OPTIONS**RADF – MR-3028**

100-sheet capacity, A5R-A3, 35-157 gsm

JOB SEPARATOR TRAY – MJ-5006

2 inner trays, 150- and 250-sheet capacity

INNER FINISHER – MJ-1032N2 trays, 600-sheet capacity
50-sheet multi-position stapling
482 x 508 x 232 mm (W x D x H), ~ 13 kg**MULTI-STAPLE FINISHER – MJ-1107**2 trays, 2,250-sheet capacity
50-sheet multi-position stapling
535 x 598 x 1,092 mm (W x D x H), ~ 34 kg**SADDLE-STITCH FINISHER – MJ-1033**1 tray, 1,000-sheet capacity
50-sheet multi-position stapling
Saddle-stitched booklets of up to 60 pages
409 x 624 x 961 mm (W x D x H), ~ 39 kg**SADDLE-STICH FINISHER – MJ-1108**2 trays, 3,250-sheet capacity
50-sheet multi-position stapling
Saddle-stitched booklets of up to 60 pages
617 x 603 x 1,085 mm (W x D x H), ~70 kg**HOLE PUNCH UNIT –****MJ-6007** for Finisher MJ-1032N**MJ-6008** for Finisher MJ-1033**MJ-6104** for Finisher MJ-1107/MJ-1108

Available in 2-holes (E), 4-holes (F)

PAPER FEED PEDESTAL – KD-1025550-sheet (1 drawer), A5R-A3, 64-105 gsm
668 x 701 x 291.5 mm (W x D x H), ~ 21 kg**LARGE CAPACITY FEEDER – KD-1026A4**2,000-sheet capacity, A4, 64-105 gsm
668 x 737 x 292 mm (W x D x H), ~ 26 kg**OTHER OPTIONS**

DESK – MH-2520

DRAWER MODULE – MY-1033

HDD 320 GB²⁾ (FIPS 140-2 STD) – GE-1230

FAX BOARD – GD-1350EU

WIRELESS LAN MODULE – GN-1060

e-BRIDGE ID-GATE – TWN3/4XX

DATA OVERWRITE ENABLER – GP-1070

IPsec ENABLER – GP-1080

META SCAN ENABLER – GS-1010

UNICODE FONT ENABLER – GS-1007

e-BRIDGE RE-RITE – GB-1280

ACCESSIBLE ARM – KK-2550



INSIGHT

Insight Systems Ltd
w: www.insightsystems.co.uk
e: sales@insightsystems.co.uk
t: 01732 880600



**TOSHIBA TEC UK
IMAGING SYSTEMS LTD**

ABBAY CLOISTERS, ABBAY GREEN,
CHERTSEY, SURREY KT16 8RB
TEL 0843 2244944 FAX 0843 3512024
WWW.TOSHIBATEC.CO.UK

Follow us on  @ToshibaTEC_UK



Jav.64252.0714

TOSHIBA
Leading Innovation >>>

6BY0COP1596

This Class 1 laser product complies with IEC60825-1. Technical data is subject to change without prior notice. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. All rights reserved. We are constantly making efforts to deliver the latest status of data to our partners. Specifications for some models may change in the time between the production and the release of this documentation. Copyright © 2014 Toshiba TEC. BPS07GBEWD1405